Cast Iron
ADA Detectable Warning Tile

TRAFFIC SAFETY
SUPPLY COMPANY





Unique design allows aggregate to consolidate around anchor.

(Rendering for illustration purposes only.)

THE INDUSTRY LEADER IN FLAT-BACK DESIGN

PREMIUM PERFORMANCE

Superior strength outlasts the most demanding pedestrian surfaces including areas subject to snowplows.

EXCEPTIONAL DESIGN

The only flat-back design that limits potential air trapping during installation.

SUPERIOR COLOR & PROTECTION

In-house surface preparation and epoxy primer ensures lasting adhesion and bonding of powder coated finish.

10-YEAR WARRANTY

10-year manufacturer warranty

PRODUCT ASSORTMENT

Available in three standard tile sizes and 20 radius capabilities 9R-70R.

STOCK ITEM

Able to meet any standard size and color order.

ADA COMPLIANT

Complies with ADA Accessibility Guidelines (ADAAG) for Public Rights-Of-Way (July 26, 2011). Meets Buy America Act 23 C.F.R. § 635.410.

Copyright 2023, Traffic Safety Supply Company.
2324 SE Umatilla Street, Portland, OR 97202 / +1 503.235.8531 / TSSCO.COM

Note: Specifications are approximate and subject to change. Some parts shown may be for illustration purposes only.

Cast Iron
ADA Detectable Warning Tile

TRAFFIC SAFETY
SUPPLY COMPANY



IN-HOUSE POWDER COATING ADVANTAGE

Powder-coating process is specifically designed for detectable warning tiles.

- Six high-pressure prep and wash stages ensure superior adhesion
- Achieve the look of rust with patina powder coated finish
- UV and slip-resistant finish
- Tile Sizes: 2'x1', 2'x2', 2'x30"
- Over 20 radius configurations up to 70R

MADE IN THE USA

100% RECYCLABLE

COLORS AVAILABLE

Copyright 2023, Traffic Safety Supply Company.
2324 SE Umatilla Street, Portland, OR 97202 / +1 503.235.8531 / TSSCO.COM

Note: Specifications are approximate and subject to change. Some parts shown may be for illustration purposes only.

Cast Iron
ADA Detectable Warning Tile

TRAFFIC SAFETY
SUPPLY COMPANY

The EasyArc Radius Calculator quickly identifies the radius size closest to your project plans and creates a drawing and list of the radius components and quantities needed. The wedges and tiles are arranged side-by-side to form up to 20 radius configurations ranging from 9R to 70R.



EASY AS 1,2,3

1 CHOOSE YOUR MATERIAL AND UNIT OF MEASUREMENT

2 ENTER THE RADIUS [A] OR HEIGHT [B]

3 ENTER THE CHORD [C] OR ARC LENGTH [D]

Copyright 2023, Traffic Safety Supply Company.
2324 SE Umatilla Street, Portland, OR 97202 / +1 503.235.8531 / TSSCO.COM

Note: Specifications are approximate and subject to change. Some parts shown may be for illustration purposes only.